

Township N° VI, North, Range N° I East of 2<sup>nd</sup> Meridian. Surveyed by Arthur Henrie - 1814.

Description of the Soil on the interior Sectional lines.

Acres Due  
Total 23,355 61

between sections	Quality &c	between sections	Quality &c	between sections	Quality &c
35.36	Land Rolling, Timber Poplar, Beech, Sugar &c	27.28	Land Rich Rolling, Timber Oak, Poplar &c	29.30	Land Rolling, Timber Oak, Poplar, Hickory, Sugar &c
25.30	Land the same	22.27	Land the same	20.26	ditto
23.20	ditto	11.22	Land Hilly, Timber Oak & Hickory, thin soil	19.20	ditto
14.23	ditto	15.22	Land the same	17.20	Land Hilly, Timber the same
23.24	ditto	15.16	Land Rolling, Timber Oak & Beech	17.18	ditto
13.24	ditto	10.15	Land the same	8.17	ditto
13.14	ditto	9.10	Land Hilly, Timber Oak & Hickory	7.18	ditto
12.13	ditto	3.10	Land the same	5.8	Land Hilly, Timber Oak
11.12	ditto	3.11	ditto	5.6	Land Hilly, thin soil Timber Oak, Hickory &c
1.12	Land very bushy, covered with green briars	31.33	Land Rich, Timber Beech, Poplar, Ash & Sugar	6.7	Land Hilly, Timber Oak, Hickory
1.2	Land the same	28.33	Land the same	7.18	this line over flat land
34.35	Land Rolling, Timber Beech, Sugar, Poplar, Ash & Hickory	28.29	ditto	18.19	Land Rolling, Timber Beech, Poplar &c
33.26	Land the same	21.23	ditto	19.30	Land Rich Rolling, Timber Sugar, Poplar, Ash &c
26.27	Land Hilly, Timber Beech, Oak & Hickory	20.21	ditto	30.31	Land Rolling, Timber Beech, Oak &c
23.26	Land the same	16.21	ditto		
22.23	ditto	16.17	Land Hilly, Timber Oak, Chestnut, Hickory &c		
14.23	ditto	9.16	Land the same		
14.13	ditto	8.3	ditto		
11.14	ditto	4.7	ditto		
10.11	ditto	4.5	ditto		
2.11	ditto	31.32	Land Rich, Timber, Sugar, Beech, Poplar &c		
2.3	Land Hilly, thin soil Timber Oak, Chestnut & Hickory	14.32	ditto		
33.34	Land Rich Rolling, Timber Beech, Poplar &c				
27.34	Land the same				



Township 10 North, Range 18 East of 2nd Mer.

Interior Section corners described

Continued

Post	Bearing true	inches	Courses	Links	Quality of the Soil	Section corners	Bearing true	inches	Courses	Links	From H to	Bearing true	inches	Courses	Links
A						15. 20. 35. 50	do	0	11 58 E	10	I to Cat 1. Ironwood	6	South	2	
B	W Oak	18	S 40 W	12		15. 21. 40. 40	do	0	11 00 W	10	2. W Oak	20	West	10	
B	Hickory	0	11 10 E	1		15. 11. 23. 24	do. Walnut	0	11 38 E	8	3. Beech	10	N 74 E	28	
C	do	10	S 2 W	17		11. 16. 13. 11	do	20	11 4 E	21	4. Hickory	12	S 50 W	30	
C	do	10	11 8 W	25		20. 27. 34. 35	do	20	11 23 W	25	5. Beech	20	West	20	
D	Hickory	10	S 12 W	45		22. 23. 26. 27	do	10	11 59 W	20	6. Beech	20	S 6 W	27	
D	do	7	S 32 W	37		14. 15. 22. 23	do	12	11 38 W	25	H to Y at 1. W Oak	18	S 55 W	18	
E	do	20	S 53 E	18		10. 11. 14. 15	Ironwood	3	11 38 E	3	2. B. Oak	30	S 26 W	6	
E	do	0	11 32 W	18		2. 3. 10. 11	do	12	11 3 W	25	3. W Oak	12	S 5 W	11	
F	Beech	18	S 34 W	24		27. 28. 33. 34	do	12	11 27 W	13	4. Beech	10	S 63 E	33	
F	Ironwood	0	S 24 E	11		21. 22. 27. 28	do	18	11 13 E	24	5. Beech	10	S 73 W	3	
G						15. 16. 21. 22	do	20	11 73 W	22	6. W Oak	10	S 50 W	22	
H						9. 10. 13. 16	do	12	11 27 W	13	do	8	S 22 E	10	
I						3. 4. 6. 10	do	12	11 63 E	17	do	18	S 38 E	24	
J						32. 33. 28. 24	do	20	11 4 E	26	do	18	S 86 E	25	
K						21. 21. 28. 29	do	10	11 27 W	48	do	30	S 57 E	14	
L						16. 17. 20. 21	do	18	11 12 E	33	do	12	S 11 W	38	
M						8. 9. 10. 17	do	18	11 58 W	13	do	0	South	17	
N						4. 5. 8. 9	do	10	11 2 W	25	do	8	S 3 W	43	
O						29. 30. 31. 32	do	12	11 88 E	27	do	20	S 31 E	13	
P						10. 20. 29. 30	do	7	11 28 E	8	do	18	S 33 E	12	
Q						17. 18. 19. 20	do	6	11 89 W	18	do	20	S 35 E	12	
R						7. 8. 17. 18	do	20	11 23 E	14	do	8	S 7 W	27	
S						5. 6. 7. 8	do	6	11 59 E	11	do	12	South	73	
T						1. 2. 11. 12	do	5	11 35 W	7	do	18	S 88 E	52	
U	W Oak	24	S 21 E	12							do	20	S 3 W	7	
U	Beech	10	S 21 W	13							do	6	S 7 W	25	
V	do	18	S 38 W	8							do	18	S 21 E	3	
V	do	10	S 60 W	30							do	10	S 8 E	32	
W	Beech	12	S 48 E	11							do	18	S 52 E	12	
W	do	12	S 48 W	18							do	18	S 22 W	24	
X	Beech	12	S 77 E	19							do	12	S 67 W	15	
X	do	10	S 23 W	22							do	10	S 10 W	7	
Y	do	6	S 10 W	24							do	20	S 30 E	21	
Y	do	20	S 70 E	15							do	8	S 62 W	4	
Z											do	10	S 3 E	15	
											do	10	S 34 E	10	
											do	6	S 8 E	48	
											do	18	S 21 E	20	
											do	10	S 61 E	19	
											do	15	S 4 E	40	
											do	8	S 16 E	19	
											do	20	S 71 W	8	
											do	18	S 9 W	46	
											do	12	S 75 E	20	
											do	10	S 63 W	3	
											do	6	S 29 E	14	
											do	10	S 19 E	3	
											do	8	S 39 W	17	
											do	12	S 14 E	20	
											do	10	S 30 E	25	
											do	8	S 14 W	25	
											do	20	S 8 E	32	
											do	6	South	20	
											do	5	S 78 E	7	
											do	20	S 10 E	51	
											do	10	S 76 W	11	

Quarter Section Corners described				
From H to	Bearing true	inches	Courses	Links
N to U at 1.	Beech	6	S 85 E	5
2.	Ironwood	10	S 85 W	12
3.	W Oak	20	S 76 E	48
4.	Beech	10	S 87 W	29
5.	W Oak	10	S 88 E	47
6.	do	8	S 20 W	8
7.	Beech	8	S 3 W	9
8.	do	10	S 48 E	12
9.	do	6	S 48 E	12
10.	do	10	S 58 E	17
11.	do	10	S 58 W	12
12.	do	10	S 58 W	12
13.	do	10	S 58 W	12
14.	do	10	S 58 W	12
15.	do	10	S 58 W	12
16.	do	10	S 58 W	12
17.	do	10	S 58 W	12
18.	do	10	S 58 W	12
19.	do	10	S 58 W	12
20.	do	10	S 58 W	12
21.	do	10	S 58 W	12
22.	do	10	S 58 W	12
23.	do	10	S 58 W	12
24.	do	10	S 58 W	12
25.	do	10	S 58 W	12
26.	do	10	S 58 W	12
27.	do	10	S 58 W	12
28.	do	10	S 58 W	12
29.	do	10	S 58 W	12
30.	do	10	S 58 W	12
31.	do	10	S 58 W	12
32.	do	10	S 58 W	12
33.	do	10	S 58 W	12
34.	do	10	S 58 W	12
35.	do	10	S 58 W	12
36.	do	10	S 58 W	12
37.	do	10	S 58 W	12
38.	do	10	S 58 W	12
39.	do	10	S 58 W	12
40.	do	10	S 58 W	12
41.	do	10	S 58 W	12
42.	do	10	S 58 W	12
43.	do	10	S 58 W	12
44.	do	10	S 58 W	12
45.	do	10	S 58 W	12
46.	do	10	S 58 W	12
47.	do	10	S 58 W	12
48.	do	10	S 58 W	12
49.	do	10	S 58 W	12
50.	do	10	S 58 W	12
51.	do	10	S 58 W	12
52.	do	10	S 58 W	12
53.	do	10	S 58 W	12
54.	do	10	S 58 W	12
55.	do	10	S 58 W	12
56.	do	10	S 58 W	12
57.	do	10	S 58 W	12
58.	do	10	S 58 W	12
59.	do	10	S 58 W	12
60.	do	10	S 58 W	12
61.	do	10	S 58 W	12
62.	do	10	S 58 W	12
63.	do	10	S 58 W	12
64.	do	10	S 58 W	12
65.	do	10	S 58 W	12
66.	do	10	S 58 W	12
67.	do	10	S 58 W	12
68.	do	10	S 58 W	12
69.	do	10	S 58 W	12
70.	do	10	S 58 W	12
71.	do	10	S 58 W	12
72.	do	10	S 58 W	12
73.	do	10	S 58 W	12
74.	do	10	S 58 W	12
75.	do	10	S 58 W	12
76.	do	10	S 58 W	12
77.	do	10	S 58 W	12
78.	do	10	S 58 W	12
79.	do	10	S 58 W	12
80.	do	10	S 58 W	12
81.	do	10	S 58 W	12
82.	do	10	S 58 W	12
83.	do	10	S 58 W	12
84.	do	10	S 58 W	12
85.	do	10	S 58 W	12
86.	do	10	S 58 W	12
87.	do	10	S 58 W	12
88.	do	10	S 58 W	12
89.	do	10	S 58 W	12
90.	do	10	S 58 W	12
91.	do	10	S 58 W	12
92.	do	10	S 58 W	12
93.	do	10	S 58 W	12
94.	do	10	S 58 W	12
95.	do	10	S 58 W	12
96.	do	10	S 58 W	12
97.	do	10	S 58 W	12
98.	do	10	S 58 W	12
99.	do	10	S 58 W	12
100.	do	10	S 58 W	12


From H to	Bearing true	inches	Courses	Links
N to U at 1.	Beech	6	S 85 E	5
2.	Ironwood	10	S 85 W	12
3.	W Oak	20	S 76 E	48
4.	Beech	10	S 87 W	29
5.	W Oak	10	S 88 E	47
6.	do	8	S 20 W	8
7.	Beech	8	S 3 W	9
8.	do	10	S 48 E	12
9.	do	6	S 48 E	12
10.	do	10	S 58 E	17
11.	do	10	S 58 W	12
12.	do	10	S 58 W	12
13.	do	10	S 58 W	12
14.	do	10	S 58 W	12
15.	do	10	S 58 W	12
16.	do	10	S 58 W	12
17.	do	10	S 58 W	12
18.	do	10	S 58 W	12
19.	do	10	S 58 W	12
20.	do	10	S 58 W	12
21.	do	10	S 58 W	12
22.	do	10	S 58 W	12
23.	do	10	S 58 W	12
24.	do	10	S 58 W	12
25.	do	10	S 58 W	12
26.	do	10	S 58 W	12
27.	do	10	S 58 W	12
28.	do	10	S 58 W	12
29.	do	10	S 58 W	12
30.	do	10	S 58 W	12
31.	do	10	S 58 W	12
32.	do	10	S 58 W	12
33.	do	10	S 58 W	12
34.	do	10	S 58 W	12
35.	do	10	S 58 W	12
36.	do	10	S 58 W	12
37.	do	10	S 58 W	12
38.	do	10	S 58 W	12
39.	do	10	S 58 W	12
40.	do	10	S 58 W	12
41.	do	10	S 58 W	12
42.	do	10	S 58 W	12
43.	do	10	S 58 W	12
44.	do	10	S 58 W	12
45.	do	10	S 58 W	12
46.	do	10	S 58 W	12
47.	do	10	S 58 W	12
48.	do	10	S 58 W	12
49.	do	10	S 58 W	12
50.	do	10	S 58 W	12
51.	do	10	S 58 W	12
52.	do	10	S 58 W	12
53.	do	10	S 58 W	12
54.	do	10	S 58 W	12
55.	do	10	S 58 W	12
56.	do	10	S 58 W	12
57.	do	10	S 58 W	12
58.	do	10	S 58 W	12
59.	do	10	S 58 W	12
60.	do	10	S 58 W	12
61.	do	10	S 58 W	12
62.	do	10	S 58 W	12
63.	do	10	S 58 W	12
64.	do	10	S 58 W	

Interior Section corners described

From H to	Bearing true	inches	Courses thence	Links dist.
M to Unt 1.	Beech	6	N 85 E	5
	Ironwood		S 85 W	12
2.	W Oak	10	N 76 E	48
	Beech	20	N 87 W	29
3.	Ash	10	N 88 E	17
	W Oak	10	S 20 N	8
4.	Beech	8	N 8 N	9
	do	10	S 18 E	12
5.	Ash	6	N 88 E	17
	Elm	10	S 58 N	22
6.	Sugar	6	S 50 E	34
	Beech	10	S 42 N	17
L to V at 1.	Beech	24	S 30 N	22
	B. Ash	6	N 00 E	10
2.	Beech	24	corner	acc
3.	"	18	"	"
	Beech	18	S 82 N	10
	do	15	S 52 E	13
4.	Beech	20	N 16 E	31
	do	10	S 63 N	33
5.	do	20	N 07 E	14
	Logwood	6	N 27 N	13
6.	Beech	8	N 26 N	10
	Sugar	12	S 67 E	12
K to W at 1.	Beech	8	S 70 E	31
	Sugar	6	S 18 N	19
2.	Beech	18	N 10 N	11
	do	10	S 50 N	17
3.	Hickory	10	East	25
	W Oak	5	S 48 E	4
4.	W Walnut	8	N 35 E	9
	Elm	6	S 45 N	4
5.	Mulberry	10	S 80 E	22
	Poplar	6	S 19 N	4
6.	Sugar	8	N 70 E	30
	Beech	6	N 51 N	6

R to Cat 1.	Beech
	Ironwood
2.	Sugar
	do
3.	Beech
	do
4.	Beech
	do
5.	Beech
	do
6.	W. Oak
	do
S to B 1.	Sugar
	Ironwood
2.	B. Oak
	Sugar
3.	do
	Beech
4.	Beech
	do
5.	Beech
	do
6.	W. Oak
	B. Oak






INDIANA.

N & E 2 P. M.

Pursuant to a contract with and Instructions from said Mansfield Surveyor General of the United States bearing date the 14<sup>th</sup> Day of November, I have admeasured laid out and Surveyed the above described Township and do certify that it has such marks and bounds both natural and artificial as are represented on said plat and described in the field notes made thereof and returned with this Plat into the Surveyor General's office.

Certified this 15<sup>th</sup> Day of June 1814. Arthur H. M. D., Surveyor





Pursuant to contract with and Instructions from said Manifested Surveyor General of the United States bearing date the 1st day of November 1884, I have laid out, measured and surveyed the above described Township and do certify that had such marks and bounds both natural and artificial as are represented on said plat and situated in the field notes made thereof and returned with this plat into the Surveyor General's office.

Certified this 15 day of January 1885 Arthur H. H. Surveyor